Contents

EXE(CUTIVE SUMMARY	ES-1
1.0	INTRODUCTION	1-1
1.1	Background	
1.2	Objectives	
1.2	2.1 City Planning Criteria	
	2.2 Regional Planning Criteria	
2.0	EXISTING DOMESTIC WASTEWATER TREATMENT PLANT	2.1
2.1	Existing Treatment Plant History	
2.1	Interim Improvements for the LTWMP	
	2.1 Phase 1: Headworks Upgrade	2-1
	2.2 Phase 2: Interim Treatment Plant Process Design	2-5
	Current Plant Operations	
	3.1 Treatment	2-12
	3.2 Effluent Management	2-13
3.0	EXISTING INDUSTRIAL WASTEWATER TREATMENT	
3.0	PLANT PLANT	3-1
3.1	Existing Treatment Plant History	
3.2	Process Design	
3.3	Wastewater Effluent Management	
3.4	Current Plant Operations	
3.	4.1 Treatment	
	4.2 Disposal	3-7
3.	4.3 LTWMP Impacts	3-8
4.0	WASTEWATER FLOWS	4-1
4.1		
4.	1.1 Current Domestic Wastewater Flows	
4.	1.2 Projected Domestic Wastewater Flows	
4.	1.3 Domestic Wastewater Influent Characteristics	
4.2	Industrial Wastewater	
	2.1 Industrial Wastewater Flows	
4.	2.2 Projected Industrial Wastewater Flows	4-7
4.	2.3 Industrial Wastewater Influent Constituents	4-7
5.0	REGULATORY REQUIREMENTS.	5-1
5.1	Existing Discharge Permits	5-1
	1.1 Nitrogen Limits	5-1
	1.2 Domestic Wastewater Treatment Plant	5-1
	1.3 Industrial Wastewater Treatment Plant	5-3
5.2	Discharge to Land	
5.	2.1 Discharge by Percolation	5-4
5.	2.2 Spray Field Discharge	5-5



<i>5</i> 2	D:	cal and to Confeed Water	<i>5</i> 7
5.5	່ DI 2 1	scharge to Surface Water	5-1
J.,	3.1 2.2	Discharge to the San Benito River	J-0 5 11
		Out of Basin Export to Ocean Outfall	
	4.1	clamation	5 12
	4.1 4.2	General Suitable Uses for Recycled Water	5 1/
٥.,	4.2	Suitable Uses for Recycled Water	3-14
6.0		VALUATION OF WASTEWATER TREATMENT ALTERNATIVES	
6.1		ng-Term Wastewater Treatment Design Considerations	
	1.1		
	1.2	0	
6.2		esign Criteria	6-3
6.3		astewater Treatment Alternatives	
	3.1	Process Alternative 1-Extended Aeration System	6-4
	3.2	Process Alternative 2-Oxidation Ditch	
	3.3	Process Alternative 3-Immersed Membrane Bioreactor	
	3.4	Process Alternative 4-Sequencing Batch Reactor	6-23
6.4	W	astewater Alternatives Estimated Costs	6-29
6.5	Re	commended Treatment Design_	6-30
7.0	EV	VALUATION OF INTERIM EFFLUENT MANAGEMENT	
		LTERNATIVES	7-1
7.1		oject Background	
7.2		ction Organization	
7.3	Ev	aluation of Phase I Interim Effluent Management Projects	7-1
7.	3.1	Disposal Options & Criteria	
7.	3.2	Recommended Effluent Management Strategy	7-3
8.0	w	ATER BALANCE	8-1
8.1		ckground	
8.2		ater Balance	
	2.1	Precipitation	
	2.2	Percolation	
8.	2.3	Irrigation Demands	
8.	2.4	Seasonal Storage Reservoir Size	
9.0	DI	COMMENDED I TWMD	9-1
9.1	Do	ECOMMENDED LTWMP	9-1
9.	1.1	Pretreatment Facilities	
	1.2	Membrane Bioreactor	
	1.3	Disinfection	
	1.4	Effluent Facilities	9-19
	1.5	Ancillary Facilities	9-20
	1.6	Solids Handling	9-23
	1.7	Buildings	9-24
	1.8	Electrical and Control Systems	9-25
	1.9	Geotechnical considerations	9-29
9.2		dustrial Wastewater Treatment Plant	
9.3		fluent Management Projects	
9.4	Re	cycled Water Seasonal Storage	9-30



9.4.1	Seasonal Storage Reservoir	9-31
9.5 Ph	ase I Interim Effluent Management Project	9-35
9.5.1	Shared Project Facilities	
9.5.2	Project Description	9-36
9.5.3	Project Alternatives	9-36
9.5.4	Selection of Phase I Project Alternatives	
9.5.5	Project Costs	9-39
9.6 Ph	ase II Recycled Water Project	9-39
	urce Control Efforts	
9.7.1	Salinity Control Program	
9.7.2	Salinity Education Program	
9.7.3	Industrial Salt Control in Municipal Wastewater	
9.7.4	Water Softener Ordinance	
9.7.5	Advanced Treatment and Concentrate Disposal	
9.8 Ph	ase II Recycled Water Facilities	
9.8.1	Project Funding Sources	
9.8.2	Revenue Sources	
9.8.3	Next Steps	9-44
9.8.4	Project Costs	
10.0 LT	TWMP PROJECT COSTS AND IMPLEMENTATION SCHEDULE	10-1
10.1.1	DWTP Estimated Costs	
10.1.2	Phase I Seasonal Storage Reservoir Costs	
10.1.3	Phase I Interim Effluent Management Project Costs	
10.1.4	Phase II Seasonal Storage Reservoir Costs	
10.1.5	Phase II Recycled Water Project Costs	10-4
10.1.6	Total Project Cost Summary	10-5
10.1.7	Estimated Annual O&M costs	
10.2 L7	TWMP Implementation Schedule	
10.2.1	Project Schedule	
11.0 RI	EFERENCES	11-1
	PRDEVIATIONS	12.1



Figures

1-1	Site and Vicinity Map	1-4
1-2	Project Area	
2-1	Original DWTP Process Flow Diagram	2-2
2-2	DWTP Aerial	
2-3	Existing DWTP Site Plan	2-4
2-4	DWTP Process Flow Diagram with Interim Improvements	2-6
2-5	DWTP Influent Lift Station Plan	2-7
2-6	DWTP Influent Lift Station Section	
2-7	DPMC Layout Plan	2-9
3-1	IWTP Aerial	
3-2	IWTP Site Plan	3-4
3-3	Existing IWTP Process Flow Diagram	3-5
4-1	Historical Average Annual DWTP Influent Flow	
4-2	Domestic Wastewater Average Monthly Flows in 2004	
4-3	Historical Average Annual Influent IWTP Flow	4-6
6-1	Extended Aeration System Process Flow Diagram	6-5
6-2	Extended Aeration System Conceptual Site Layout_	
6-3	Oxidation Ditch Process Flow Diagram with Reclamation	6-13
6-4	Oxidation Ditch Conceptual Site Layout	6-14
6-5	Immersed Membrane Bioreactor Process Flow	
	Diagram with Reclamation	6-19
6-6	Immersed Membrane Bioreactor Conceptual Site Layout	
6-7	SBR Process Flow Diagram	
6-8	SBR Conceptual Site Layout	
9-1	DWTP & Seasonal Storage Location Map	9-2
9-2	DWTP Process Flow Diagram	
9-3	DWTP Site Layout_	
9-4	Pretreatment Facilities Plan	
9-5	MBR Process Trains Plan	
9-6	Chlorine Contact Basin Plan	
9-7	Chemical Building Plan & Section	
9-8	Operations Building Floor Plan	
9-9	Operations Building Elevation	
9-10	MBR Equipment Building Plan	
9-11	1,500 AF Initial Seasonal Storage Reservoir Site Layout	9-32
9-12	Initial Seasonal Storage Reservoir Typical Section_	9-33
9-13	Initial Seasonal Storage Reservoir Pump Station	9-34
9-14	Alternative 1 Area	
9-15	Alternative 2 Area	
9-16	Alternative 3 Area	9-39
9-17	Ultimate Regional Recycled Water Project	
9-18	Recommended Phase II Recycled Water Project	9-43
10-1	Proposed LTWMP Implementation Schedule	10-9



Tables

1-1	Summary of Average Monthly Flow (MGD) Limits for the	
	DWTP and IWTP	1-2
1-2	City of Hollister Planning Criteria for the LTWMP	1-8
2-1	DWTP Unit Process Design Criteria after Interim	
	Treatment Improvements	2-11
2-2	Major Unit Process Capacities after Interim	
	Treatment Improvements (MGD)	2-12
3-1	IWTP Unit Process Design Criteria	
3-2	Summary of Major Unit Process Capacities at the IWTP (MGD)	3-6
4-1	Current Wastewater Flows in the City of Hollister	
4-2	Wastewater Flow Projections for the City of Hollister	4-4
4-3	Summary of Design Wastewater Flow (MGD) for the DWTP	
4-4	Raw Wastewater Sampling CTR Parameter List	
4-5	Raw Wastewater Detectable Results Summary	
4-6	IWTP Raw Industrial Wastewater Characteristics (mg/L)	
4-7	IWTP Raw Industrial Wastewater Loading for the LTWMP	4-7
5-1	Expected Nitrogen Discharge Limits	
5-2	Possible Effluent Limits for Percolation Beds Based on	
	Draft WDR for SCRWA	5-5
5-3	Possible Effluent Limits for Percolation Beds Based on	
	WDR for the IWTP	5-5
5-4	Possible Effluent Limits for Spray Fields	5-6
5-5	Possible Effluent Limits for Spray Fields Based on Basin Plan	
5-6	Possible Metals Concentration Limits for Land Discharge	
5-7	Possible Effluent Limits for Surface Water Discharge to the	
	San Benito River	5-9
5-8	Water Quality Limits for the San Benito River	5-9
5-9	Maximum Contaminant Levels	
5-10	Possible Effluent Limits for River Discharge	5-11
5-11	Possible Effluent Limits for Ocean Discharge Based on	
	City of Watsonville	5-11
5-12	Possible Effluent Limits for Ocean Discharge to Protect	
	Marine Aquatic Life	5-12
5-13	Possible Non-Carcinogen Effluent Limits for Ocean Discharge	5-12
5-14	Possible Carcinogen Effluent Limits for Ocean Discharge	
5-15	Possible Effluent Limits for Ocean Discharge	5 13
5-16	Suitable Uses of Recycled Water	5-14
6-1	Process and Operational Design Parameters for Treatment	
	Alternatives	6-4
6-2	Unit Process Summary for the Extended Aeration System	6-6
6-3	Non-economic Advantages and Disadvantages of the	
	Extended Aeration System	6-11
6-4	Unit Process Summary for the Oxidation Ditch	6-12
6-5	Non-economic Advantages and Disadvantages of the	
	Oxidation Ditch	6-17
6-6	Unit Process Summary for the Immersed Membrane Bioreactor	6-18



6-7	Non-economic Advantages and Disadvantages of the MBR	6-23
6-8	Unit Process Summary for the Sequencing Batch Reactor	
6-9	Non-economic Advantages and Disadvantages of the	
	Sequencing Batch Reactor	6-28
6-10	Order of Magnitude Cost Estimate on DWTP Upgrade	
	Alternatives (5.0 MGD)	6-29
7-1	City of Hollister Effluent Management MOU Selection Criteria	7-4
7-2	City of Hollister Effluent Management Selection Criterion	
7-3	City of Hollister Effluent Management Selection Criterion for	
	Compliance Challenges	7-6
8-1	Hollister Project Area Precipitation (Inches)	8-3
8-2	Combined Historical Percolation Rates at the Hollister DWTP	8-3
8-3	Net Crop Water Demands	
8-4	Summary of LTWMP Water Balance	
8-5	Water Balance for City of Hollister LTWMP Phase I Interim Effluent	
	Management Project (2008-2013)	8-6
8-6	Water Balance for City of Hollister LTWMP	
	Phase II Recycled Water Project (2013-2023)	8-7
9-1	DWTP Design Criteria and Process Capacities	
9-2	Initial Seasonal Storage Basin Design Criteria	
10-1	Cost Estimate on DWTP Upgrade Alternatives (5.0 MGD)	
10-2	Preliminary Cost Estimate for Phase I Seasonal Storage Reservoir	
10-3	Preliminary Cost Estimate for Phase I Interim Effluent Management Project	10-3
10-4	Preliminary Cost Estimate for Phase II Seasonal Storage Reservoir	10-3
10-5	Preliminary Cost Estimate for Phase II Recycled Water Project	10-4
10-6	Estimated LTWMP Project Costs	
10-7	Preliminary Annual O&M Costs	
10-8	Proposed LTWMP Implementation Schedule	10.7



Appendices

- A Revised WDR Order No. 00-020
- B RWQCB Cease and Desist Order #R3-2002-0105
- C Order No. R3-2005-0142
- D WDR Order No. 90-90
- E WDR Order No. 87-47
- F Letter from RWQCB, January 28, 2003
- G Technical Memorandum Phase 1 Alternatives RMC Water and Environment 2005
- H San Benito County Regional Recycled Water Project Draft RMC Water and

Environment 2005

